



REVISION HISTORY			
REV.	Description	Date	Approved
A	Initial release C008895	07/15/2015	ctb
B	Added and refined features -401 thru -406 - C008896	09/3/2015	ctb
C	Corrected title in Section -403; C008982	11/12/2015	ctb
D	Updated base feature -000 and refined features -401 thru -406; C009141	07/26/2016	dmd

TITLE : SPEC,FEATURE SET,(*),GLSW 2.0		DWG. NO. 49900103-XXX	REV. D
DWN: C. Burney	APPVD: D. Davies	1 of 10	
DATE: 07/28/2016	DATE: 07/28/2016		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.			



1.0 Purpose

- 1.1 This specification describes the feature set configuration requirements for the **G-Series GW2000 powered by Glassware 2.0.**

2.0 Scope

- 2.1 This specification applies to the specified GW2000 appliance.

3.0 Responsibility

- 3.1 Engineering and Marketing are responsible for the accuracy of this document.

4.0 Terms and Definition

- 4.1 Assigned Numbers – Tabulated - PNs that are issued in the Overland Document database
- 4.2 Reserved Numbers – Tabulated – Dash numbers that are contained within a Table of a document but MAY not yet be assigned in the Overland Document database.

5.0 Applicable Documents

- 5.1 N/A

6.0 Description and Requirements

- Refer to Overland Document Database / MRP system for assigned dash numbers.
 - The revision letter in the Title Block of this document may not match the revision of assigned dash numbers.
- 6.1 Physical
- 6.1.1 SW: Glassware 2.0
- 6.1.2 Pre-set configuration of each appliance is performed at time of production by qualified personnel. Additional / changes to initial set by qualified technicians.

7.0 Quality/Reliability:

- 7.1 Acceptance Criteria, Components
- 7.1.1 Verification of S/N, License issuance, and configuration is required..
- 7.1.2 Appliance packaged per requirements.
- 7.1.3 Shipping label SN and PNs must match enclosed License Certificates if issued..

8.0 Feature Set Tables

- 8.1 Each appliance shall be configured and documented, accepted for shipment based on the application of features as specified in the tables below.
- 8.2 Verify each feature set to be used with the Bill of Material (BOM) in the Overland Data Base.
- 8.3 Table shown may not represent all assigned dash numbers in the Document database.

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		2 of 10		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.				



-XXX - Feature Set requirements

This table specifies the selectable elements that comprise a GW2000 configuration. The dash numbered tables following show the selected features to be used on specific appliance. The Overland database specifies the proper table to be used.

#	Feature Description	FEATURE SET
1	Number of concurrent users	1-Unlimited
2	Number of total user accounts	1-Unlimited
3	Addition of new applications	Yes / No
4	Use of the HTML 5 client	Yes / No
5	Total number of applications that can be installed	1-Unlimited
6	Ability to pair servers	Yes / No
7	Ability to mount network storage devices to user profiles	Yes / No
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes / No
9	Allows temporary accounts to be created	Yes / No
10	Ability to use the Glassware Browser for Web apps	Yes / No
11	Addition of new web applications	Yes / No
12	Total number of web applications that can be installed	1-Unlimited
13	Total number of temporary accounts that can be active	1-Unlimited

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		3 of 10		

PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.



-000 Feature Set -000; Base production configuration

This feature set is the default load during production, installed via SW load.. Revision to the Base Feature Set is determined by product requirements. See the following feature set tables below.

#	Feature Description	FEATURE SET
1	Number of concurrent users	10
2	Number of total user accounts	Unlimited
3	Addition of new applications	Yes
4	Use of the HTML 5 client	Yes
5	Total number of applications that can be installed	1
6	Ability to pair servers	No
7	Ability to mount network storage devices to user profiles	Yes
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes
9	Allows temporary accounts to be created	Yes
10	Ability to use the Glassware Browser for Web apps	Yes
11	Addition of new web applications	Yes
12	Total number of web applications that can be installed	1
13	Total number of temporary accounts that can be active	Unlimited

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		4 of 10		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.				



-401 – Feature Set 401,(EDU1 Bundle)

This feature set for EDU1 customer – **(GW2000-EDU1-2U)**

#	Feature Description	FEATURE SET	Comments
1	Number of concurrent users	300	Fixed
2	Number of total user accounts	10000	Fixed
3	Addition of new applications	No	Disabled
4	Use of the HTML 5 client	No	Disabled
5	Total number of applications that can be installed	0	Unlimited
6	Ability to pair servers	No	-
7	Ability to mount network storage devices to user profiles	Yes	-
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes	-
9	Allows temporary accounts to be created	Yes	-
10	Ability to use the Glassware Browser for Web apps	Yes	
11	Addition of new web applications	Yes	-
12	Total number of web applications that can be installed	1	
13	Total number of temporary accounts that can be active	Unlimited	Default

Certificate printing instructions – use 96700916-202 – refer to BOM)

Certificate Description field = “LIC,GW,EDU1,300TstNav 0Std CCU”

- No capability to install standard applications.
- One web application only (TestNav).

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		5 of 10		

PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.



-402 – Feature Set 402,(Standard / Add-On 10 pack License))

This feature specifies the requirements for Add-on license packs for concurrent users licenses to use application virtualization (GW-CU-LIC-10PK). Refer to Document Control database for where used applications.

#	Feature Description	FEATURE SET	Comments
1	Number of concurrent users	(Starting Value) +10 x (qty of GW-CU-LIC-10PK)	Variable based on Sales Order quantity
2	Number of total user accounts	10000	Fixed
3	Addition of new applications	Yes	Enabled
4	Use of the HTML 5 client	Yes	Enabled
5	Total number of applications that can be installed	0	Unlimited
6	Ability to pair servers	No	
7	Ability to mount network storage devices to user profiles	Yes	
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes	
9	Allows temporary accounts to be created	Yes	
10	Ability to use the Glassware Browser for Web apps	Yes	
11	Addition of new web applications	Yes	Enabled
12	Total number of web applications that can be installed	0	Unlimited
13	Total number of temporary accounts that can be active	Unlimited	Default

Certificate printing instructions – use 96700916-202 – refer to BOM)

Certificate Description field = “LIC,GW,STD,nnnStd CCU” (nnn=cumulative total)

- For new license generation, when shipped with GW2000-APPL, starting value is zero.
- For add-on licenses, starting value is current saved value for existing license key.

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		6 of 10		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.				



-403 – Feature Set 403, (EDU20 Bundle - Channel)

This feature specifies the requirements for channel distribution to the general EDU20 clients –
(GW2000-EDU20)

#	Feature Description	FEATURE SET	Comments
1	Number of concurrent users	300	Fixed
2	Number of total user accounts	10000	Fixed
3	Addition of new applications	Yes	Enabled
4	Use of the HTML 5 client	Yes	Enabled
5	Total number of applications that can be installed	0	Unlimited
6	Ability to pair servers	No	
7	Ability to mount network storage devices to user profiles	Yes	
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes	
9	Allows temporary accounts to be created	Yes	
10	Ability to use the Glassware Browser for Web apps	Yes	
11	Addition of new web applications	Yes	
12	Total number of web applications that can be installed	0	Unlimited
13	Total number of temporary accounts that can be active	Unlimited	Default

Certificate printing instructions – use 96700916-202 – refer to BOM)

Certificate Description field = “LIC,GW,EDU20,300TstNav,50Std CCU”

- 50 standard application users enabled.
- Unlimited Web applications can be installed.

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		7 of 10		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.				



404– Feature Set 404, (Client Custom)

This feature set for EDU1 Add-on 10 pack license -(GW-EDU1-10PK)

#	Feature Description	FEATURE SET	Comments
1	Number of concurrent users	300	Fixed
2	Number of total user accounts	10000	Fixed
3	Addition of new applications	Yes	Enabled
4	Use of the HTML 5 client	Yes	Enabled
5	Total number of applications that can be installed	0	Unlimited
6	Ability to pair servers	No	
7	Ability to mount network storage devices to user profiles	Yes	
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes	
9	Allows temporary accounts to be created	Yes	
10	Ability to use the Glassware Browser for Web apps	Yes	
11	Addition of new web applications	Yes	
12	Total number of web applications that can be installed	0	Unlimited
13	Total number of temporary accounts that can be active	Unlimited	Default

Certificate printing instructions – use 96700916-202 – refer to BOM)

Certificate Description field = “= “LIC,GW,EDU1,Add On nnnStd CCU”

- Enables installing standard applications
- Enables HTML5 client
- Standard user count determined by quantity of 10PK on Sales Order (nnn=Qtyx10)

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		8 of 10		

PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.



-405- Feature Set 405 -, (EDU20 Add-on 10-pack license – Channel)

This feature specifies the requirements for channel distribution to the general EDU20 clients – – (GW-EDU20-10PK)

#	Feature Description	FEATURE SET	Comments
1	Number of concurrent users	300	No change
2	Number of total user accounts	10000	No change
3	Addition of new applications	Yes	No change
4	Use of the HTML 5 client	Yes	No change
5	Total number of applications that can be installed	0	No change
6	Ability to pair servers	No	No change
7	Ability to mount network storage devices to user profiles	Yes	No change
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes	No change
9	Allows temporary accounts to be created	Yes	No change
10	Ability to use the Glassware Browser for Web apps	Yes	No change
11	Addition of new web applications	Yes	No change
12	Total number of web applications that can be installed	0	No change
13	Total number of temporary accounts that can be active	Unlimited	Default

Certificate printing instructions – use 96700916-202 – refer to BOM)

Certificate Description field = “= “LIC,GW,EDU20,Add-on nnnStd CCU”

- Standard user count determined by quantity of 10PK on Sales Order (nnn=Qtyx10)
- Nothing changes on the license key settings for this license pack ‘upgrade’

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		9 of 10		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.				



-406- Feature Set 406 -, (NFR Demo)

This feature specifies the requirements for demo concurrent users licenses to use with GW2000-APPL-NFR. Refer to Document Control database for where used applications.

#	Feature Description	FEATURE SET	Comments
1	Number of concurrent users	100	Fixed
2	Number of total user accounts	10000	Fixed
3	Addition of new applications	Yes	Enabled
4	Use of the HTML 5 client	Yes	Enabled
5	Total number of applications that can be installed	0	Unlimited
6	Ability to pair servers	No	
7	Ability to mount network storage devices to user profiles	Yes	
8	Allows an Administrator to customize resolution and topbar settings per application.	Yes	
9	Allows temporary accounts to be created	Yes	
10	Ability to use the Glassware Browser for Web apps	Yes	
11	Addition of new web applications	Yes	Enabled
12	Total number of web applications that can be installed	0	Unlimited
13	Total number of temporary accounts that can be active	Unlimited	Default

Certificate printing instructions – use 96700916-206– refer to BOM)

Certificate Description field = “= “LIC,GW,STD,100Std CCU,NFR”

(End of Document)

TITLE:	SPEC,FEATURE SET,(*),GLSW 2.0	DWG NO.	49900103-XXX	REV. D
		10 of 10		
PROPRIETARY INFORMATION: The information contained herein is proprietary to Overland Storage, Inc. Any reproduction in whole or in part, disclosure, or use of this document is expressly prohibited except as specified in writing by Overland Storage.				